

Compact terminal for your business



With its Cortex A9 processor, the V400c offers ideal performance in any payment situation. The 3.5-inch color touch display makes it easy to operate the terminal. With its large memory capacity, further functionalities can be easily integrated in the future. The integrated high-performance printer, together with its WLAN capability, makes the V400c independent of LAN connections external printers. and The conveniently placed NFC interface in the display area enables contactless payment with all contactlessenabled cards, smartphones and

smartwatches.

- Slightly tilted touchscreen display enables easy operation and readability
- Tempered glass offers high break resistance
- Integrated high-performance printer and WLAN offer high flexibility
- Fast processor enables the right performance for the transaction process at any time
- Future-proof thanks to PCI PTS 4.x, TA 7.2 and DC POS 3.0 approvals
- Contactless payment with all cards, smartphones and smartwatches

Sales Line +49 89 899 643 311 info@epay.de www.epay.de



Connecting Brands 🐼 Consumers



Compact terminal for your business

nd'

Powerful

The Cortex A9 processor ensures ideal performance

Touch-Display

enables simple and intuitive operation

Flexibly usable

thanks to integrated WiFi and highperformance printer

Integrated High-performance printer

prints up to 30 lines per second and has a paper end sensor

Sales Line +49 89 899 643 311 info@epay.de www.epay.de



Connecting Brands 🐼 Consumers



Technical datasheet



Processor	600 MHz, Cortex A9 32-bit RISC Processor
Memory	1024 MB (512 MB Flash, 512 MB SDRAM)
Card reader	Contactless reader, chip card reader, magnetic card reader
Connections	Micro-SD: 1 port
Display	3.5-inch HVGA, 320 x 480 pixel, surface-hardened, color touch display
Keyboard	15 keys, backlit, tactile feedback, privacy screen on request
Printer	Thermal printer 30 lines/second, Ø 40 mm paper roll, paper width 58 mm, paper end sensor
Communication	Wi-Fi 2.4 GHz and 5 GHz, RS-232, Ethernet, USB
Power supply	AC input: 100-240 V, 50/60 Hz , DC output: 11.6 V, 1.55 A
Dimensions (W x H x D)	190 x 80 x 70 mm
Weight	381 g
Environmental conditions	Operating environment: 0 °C to +50 °C Storage temperature: -20 °C to +60 °C Humidity: 5 to 90 % (non-condensing)
Certifications	girocard acc. electronic cash 7.2 Credit/Debit Cards acc. DC POS 3.0 PCI PTS 4.x; PCI P2PE (on request)

Connecting Brands 🚫 Consumers





Value-Added-Service

What makes a buying experience great? Additional services that you don't expect. Pickup your customers right there.

Whether cash withdrawals at the terminal, tip function, currency conversion and much more - at epay, we understand what the customer wants and implement it with you.

With the V400c you can use the following value-added services from epay:

Digital receipt management	\checkmark
Direct Currency conversion (DCC)	\checkmark
Tax-Free	\checkmark
Alipay (with User Scan)	\checkmark
Account indexing	\checkmark
Tip function (2 variants)	\checkmark
Reference number input	\checkmark
Prepaid TopUp (Mobile TopUp)	X*
epay Gift card acceptance	\checkmark

*über Kassenintegrationsmodul umsetzbar